

L Number	Hits	Search Text	DB	Time stamp
1	4	707/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:31
2	4	709/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:32
3	8	713/\$.cccls. and automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:32
-	2	automat\$4 with authenticat\$4 with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	335	automat\$4 with authenticat\$4 with system	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	221	automat\$4 with authenticat\$4 with system and (client user customer) and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:13
-	140	automat\$4 with authenticat\$4 with system and (client user customer) and network and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	79	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	60	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:14
-	6	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:15
-	34	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:43
-	2011	authenticat\$4 and identif\$4 with (engine routine algorithm)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:17
-	69	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:17
-	62	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:19

-	7	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assignment	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:19
-	22	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20
-	10	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20
-	2	authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout and access near\$4 level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:20
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout and access near\$4 level)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4 and timeout)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assign\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (automat\$4 with authenticat\$4 with system)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer) and session with assignment)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21

-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION and receiv\$4 with (client user customer))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:21
-	0	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm) and configur\$4 WITH SESSION)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:22
-	4	(automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 ) and (authenticat\$4 and identif\$4 with (engine routine algorithm))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:22
-	16	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 17:29
-	2	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level and time\$out	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:48
-	2	automat\$4 with authenticat\$4 with system and (client user customer) and network and server and authenticat\$\$ with access and authenticat\$4 with server and (trust\$4 secur\$4) with communicat\$4 and access with level and time\$out and configur\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:55
-	11	"159506"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:58
-	0	"09/159506"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 12:58
-	0	"159506" and worldcom.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 13:53
-	0	"09/159,506" and worldcom.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/30 13:53